

A/c # 1

APPENDIX A COMPONENT STATUS

Date: 25-Apr-17
 AFTT: 8992.3
 RIN's: 41581

2005 412 EP
 Tail No: TBD

ATA	DESCRIPTION	PART NO	SERIAL NO	FREQ	UNIT	CODE	CURRENT	REMAINING	PERCENT REM TO		
									RL	O/H-INS	
240100	STARTER GENERATOR	23046-020	12694	1000	H	OH	0.0	1000.0		100%	
240200	STARTER GENERATOR	23046-040	7810	1000	H	OH	0.0	1000.0		100%	
260100	ENGINE FIRE BOTTLE	30402901	B12335	60	MO	OH	Feb-18	10		16%	
260110	SQUIB	AE13083-5	0	72	MO	RL	Dec-05		-1882%		Replace Squib
260120	SQUIB	AE30900400	0	72	MO	RL	Dec-05		-1882%		Replace Squib
260200	ENGINE FIRE BOTTLE	30402901-3	5277881	60	MO	OH	Apr-15			-40%	Perform Hydrostatic
260210	SQUIB	AE13083-5	0	72	MO	RL	Dec-05		-1882%		Replace Squib
260220	SQUIB	AE30900400	0	72	MO	RL	Dec-05		-1882%		Replace Squib
290010	HYDRAULIC CYLINDER ASSY	212-076-005-111	HR10370	2500	H	OH	181.3	2317.7		93%	
290020	HYDRAULIC CYLINDER ASSY	212-076-005-111	5700	2500	H	OH	863.4	1636.6		65%	
290030	HYDRAULIC CYLINDER ASSY	212-076-005-111	HR8361	2500	H	OH	1761.2	738.8		30%	
320100	FORWARD CROSSTUBE (AAI)	212-321-103	1421	300	H	INF	0.0	300.0		100%	
320200	AFT CROSSTUBE (DART)	0412-664-203	B115205	300	H	INF	0.0	300.0		100%	
320203	Retirement per Dart ICA-D212-664			10000	L	RL	3005	6995		70%	
620010	M/R BLADE	412-015-300-119	A-3692	2500	H	INF	1819.2	680.8		27%	
620020	M/R BLADE	412-015-300-119	A-3736	2500	H	INF	2242.4	257.6		10%	
620030	M/R BLADE	412-015-300-119	A-3690	2500	H	INF	8992.3		-260%		Requires 2500 Hr inspection
620040	M/R BLADE	412-015-300-119	A-3770	2500	H	INF	8992.3		-260%		Requires 2500 Hr inspection
620050	RETENTION CAP	412-010-171-103	0	10000	H	RL	8992.3	1007.7		10%	Requires Retention Cap
620051	UPPER CONE	412-010-165-101	WG130	10000	H	RL	970.9	9029.1		90%	
620052	LOWER CONE	412-010-179-105	SH79	10000	H	RL	1595.7	8404.3		84%	
620100	M/R HUB ASSY	412-010-100-133	A-2383	2500	H	INS	2470.1	29.9		1%	
620200	YOKE ASSY	412-010-101-129	BH037590	5000	H	RL	2470.1	2529.9		51%	
620201	YOKE ASSY	412-010-101-129	BH033014	5000	H	RL	2470.1	2529.9		51%	
620300	DAMPER BRIDGE (Upper)	412-010-185-109	A-3500	15000	H	RL	7430.4	7569.6		50%	
620301	DAMPER BRIDGE (Upper)	412-010-185-109	A-3510	15000	H	RL	7430.4	7569.6		50%	
620302	DAMPER BRIDGE (Upper)	412-010-185-109	A-3493	15000	H	RL	7430.4	7569.6		50%	
620303	DAMPER BRIDGE (Upper)	412-010-185-109	A-3517	15000	H	RL	7430.4	7569.6		50%	
620400	DAMPER BRIDGE (Lower)	412-010-170-105	A-4935	10000	H	RL	7430.4	2569.6		26%	
	10000 Hr/180 Month Retirement per BHT-MM Ch. 4			180	MO	RL	Jun-23	74		41%	
620401	DAMPER BRIDGE (Lower)	412-010-170-105	A-4936	10000	H	RL	7530.4	2469.6		25%	
	10000 Hr/180 Month Retirement per BHT-MM Ch. 4			180	MO	RL	Jun-23	74		41%	
620402	DAMPER BRIDGE (Lower)	412-010-170-105	A-4934	10000	H	RL	7430.4	2569.6		26%	
	10000 Hr/180 Month Retirement per BHT-MM Ch. 4			180	MO	RL	Jun-23	74		41%	
620403	DAMPER BRIDGE (Lower)	412-010-170-105	A-4922	10000	H	RL	7530.4	2469.6		25%	
	10000 Hr/180 Month Retirement per BHT-MM Ch. 4			180	MO	RL	Jun-23	74		41%	
620501	SPINDLE & DAMPER ASSY	412-010-190-105	LK505	10000	H	RL	7417.4	2582.6		26%	
620502	SPINDLE & DAMPER ASSY	412-010-190-105	DN345	10000	H	RL	7413.0	2597.0		26%	
620503	SPINDLE & DAMPER ASSY	412-010-190-105	LK916	10000	H	RL	4364.8	5635.2		56%	
620504	SPINDLE & DAMPER ASSY	412-010-190-105	LK1640	10000	H	RL	2470.1	7529.9		75%	
620600	PITCH HORN	412-010-149-111	MO372	15000	H	RL	4937.0	10063.0		67%	
620601	PITCH HORN	412-010-149-111	MO383	15000	H	RL	4937.0	10063.0		67%	
620602	PITCH HORN	412-010-149-111	MO371	15000	H	RL	4937.0	10063.0		67%	
620603	PITCH HORN	412-010-149-111	MO381	15000	H	RL	4937.0	10063.0		67%	
620700	FITTING	412-010-111-103	A-6179	5000	H	RL	2470.1	2529.9		51%	
620701	FITTING	412-010-111-103	A-6176	5000	H	RL	2470.1	2529.9		51%	
620703	FITTING	412-010-111-103	MO1311	5000	H	RL	2470.1	2529.9		51%	
620702	FITTING	412-010-111-103	A-6196	5000	H	RL	2470.1	2529.9		51%	

A/c # 1

APPENDIX A COMPONENT STATUS

Date: 25-Apr-17
 AFTT: 8992.3
 RIN's: 41581

2005 412 EP
 Tail No: TBD

ATA	DESCRIPTION	PART NO	SERIAL NO	FREQ	UNIT	CODE	CURRENT	REMAINING	PERCENT REM TO	
									RL	O/H-INS
620800	DRIVE PIN	412-010-166-101	AX1298	10000	H	RL	7430.4	2569.6	26%	
620801	DRIVE PIN	412-010-166-101	MY2093	10000	H	RL	4937.0	5063.0	51%	
620802	DRIVE PIN	412-010-166-101	MY2108	10000	H	RL	4937.0	5063.0	51%	
620803	DRIVE PIN	412-010-166-101	MY2109	10000	H	RL	4937.0	5063.0	51%	
620804	DRIVE PIN	412-010-166-101	MY2085	10000	H	RL	4937.0	5063.0	51%	
620805	DRIVE PIN	412-010-166-101	MY2080	10000	H	RL	4937.0	5063.0	51%	
620806	DRIVE PIN	412-010-166-101	MY2077	10000	H	RL	4937.0	5063.0	51%	
620807	DRIVE PIN	412-010-166-101	MY2078	10000	H	RL	4937.0	5063.0	51%	
620808	UPPER CONE SEAT	412-010-186-103	A-1109	10000	H	RL	7930.3	2069.7	21%	
620809	LOWER CONE SEAT	412-018-056-105	A-1233	10000	H	RL	8058.0	1942.0	19%	
620810	SPLINE PLATE	412-010-177-117	A-1281	10000	H	RL	7438.7	2561.3	26%	
	RIN Limit per BHT-412-MM Ch. 4			60000	RIN	RL	40009	19991	33%	
620921	RETENTION BOLT	412-010-124-109	FE2045	5000	H	RL	2438.7	2561.3	51%	
620922	RETENTION BOLT	412-010-124-109	FE1799	5000	H	RL	2438.7	2561.3	51%	
620926	RETENTION BOLT	412-010-124-109	A-6584	5000	H	RL	3418.1	1581.9	32%	
620923	RETENTION BOLT	412-010-124-109	FE1681	5000	H	RL	3647.8	1352.2	27%	
620920	RETENTION BOLT	412-010-124-109	FE2047	5000	H	RL	2438.7	2561.3	51%	
620927	RETENTION BOLT	412-010-124-109	A-6583	5000	H	RL	3418.1	1581.9	32%	
620924	RETENTION BOLT	412-010-124-109	FE1942	5000	H	RL	3647.8	1352.2	27%	
620925	RETENTION BOLT	412-010-124-109	FE1941	5000	H	RL	2430.7	2569.3	51%	
620930	DROOP RESTRAINT BOLT (8)	MS-21250-H05-006	NSN	120	MO	RL	Dec-23	81	67%	
620931	PENDULUM BOLT (16)	EWB04200-7-36	NSN	15000	H	RL	2470.1	12529.9	84%	
621000	SWASHPLATE ASSY	412-010-402-113	RE-756	2500	H	OH	1128.9	1371.1		55%
621001	OUTER RING	412-010-407-117	RE1703	10000	H	RL	1128.9	8871.1	89%	
621002	SUPPORT	412-010-453-105R	RE1442	15000	H	RL	1841.9	13158.1	88%	
621003	GIMBAL RING	204-010-404-001	REFS-2528	9000	H	RL	5980.8	3019.2	34%	
621004	BOLT	204-011-463-109	AIFS66560	2500	H	RL	1044.6	1455.4	58%	
621005	BOLT	204-011-463-109	AIFS66224	2500	H	RL	1044.6	1455.4	58%	
621006	BOLT	204-011-463-105	PB10436	2500	H	RL	1044.6	1455.4	58%	
621007	BOLT	204-011-463-105	PB10445	2500	H	RL	1044.6	1455.4	58%	
621100	HUB & SLEEVE ASSY	412-010-401-113	A587	2500	H	OH	1128.9	1371.1		55%
621110	REPHASING LEVER	412-010-403-113	A-6318	5000	H	RL	3486.9	1513.1	30%	
621111	REPHASING LEVER	412-010-403-113	A-6154	5000	H	RL	3486.9	1513.1	30%	
621112	REPHASING LEVER	412-010-403-117	A-6486	5000	H	RL	3486.9	1513.1	30%	
621113	REPHASING LEVER	412-010-403-117	A-6465	5000	H	RL	3486.9	1513.1	30%	
621120	DRIVE LINK	412-010-405-111	MO333	5000	H	RL	1756.0	3244.0	65%	
621121	DRIVE LINK	412-010-405-111	A-4692	5000	H	RL	2778.0	2222.0	44%	
621130	COLLECTIVE SLEEVE	204-011-408-107	MWFS599	9000	H	RL	8169.8	830.2	9%	
621140	LINK TUBE ASSY	412-010-405-115	A-2768	2500	H	OH	209.4	2290.6		92%
621141	ROD END BEARING	412-310-400-103	NH-9397	5000	H	RL	3011.5	1988.5	40%	
621142	ROD END BEARING	412-310-400-105	NH-2887	5000	H	RL	3011.5	1988.5	40%	
621150	LINK TUBE ASSY	412-010-405-115	A-3714	2500	H	OH	0.0	2500.0		100%
621151	ROD END BEARING	412-310-400-103	NH31293	5000	H	RL	3525.4	1474.6	29%	
621152	ROD END BEARING	412-310-400-105	NH4409	5000	H	RL	3525.4	1474.6	29%	
621200	COLLECTIVE LEVER	412-010-408-101	A-1308	2500	H	OH	1128.9	1371.1		55%
621202		10000 Hr. Retirement per BHT-MM Ch. 4		10000	H	RL	3486.9	6513.1	65%	
621300	PITCH LINK ASSY	412-010-425-133	US781	2500	H	OH	0.0	2500.0		100%
621310	PITCH LINK ASSY	412-010-425-133	US150	2500	H	OH	0.0	2500.0		100%
621320	PITCH LINK ASSY	412-010-425-135	VA101757	2500	H	OH	182.3	2317.7		93%
621330	PITCH LINK ASSY	412-010-425-135	A-5768	2500	H	OH	1077.2	1422.8		57%

A/c #1

APPENDIX A COMPONENT STATUS

Date: 25-Apr-17
 AFTT: 8992.3
 RIN's: 41581

2005 412 EP
 Tail No: TBD

ATA	DESCRIPTION	PART NO	SERIAL NO	FREQ	UNIT	CODE	CURRENT	REMAINING	PERCENT REM TO		
									RL	O/H-INS	
630000	M/R MAST ASSY	412-040-366-129FM	A-168	5000	H	OH	0.0	5000.0		100%	Mast Assy from Aviall
630002		2500 Hour S.I. per BHT-412-MM Para. 5-30		2500	H	INS	0.0	2500.0		100%	
630050	M/R MAST POLE	412-040-101-129	A-963	10000	H	RL	4960.7	5039.3		50%	
630051		RIN Limit per BHT-412-MM Ch. 4		60000	RIN	RL	26484	33516		56%	
630100	TRANSMISSION ASSY	412-040-004-143FM	A-607	6000	H	OH	4365.0	1635.0		27%	
630101		3000 Hour S.I. per BHT-412-MM Para. 5-34		3000	H	INS	1586.2	1413.8		47%	
630200	ROTOR BRAKE QUILL	412-040-123-103	A-1828	3000	H	OH	274.8	2725.2		91%	
630300	MAIN DRIVESHAFT	412-040-005-103	A-573	3000	H	OH	2224.1	775.9		26%	
640000	T/R HUB ASSY	212-011-701-129	BHL/R6331	2500	H	OH	2476.9	21.1		1%	
640100	T/R YOKE	212-011-702-001	HB2477	5000	H	RL	2476.9	2523.1		50%	
640200	T/R BLADE	212-010-750-133	BH243947	5000	H	RL	0.0	5000.0		100%	
640201	T/R BLADE	212-010-750-133	A-14289	5000	H	RL	4915.7	84.3		2%	
651000	HANGER ASSY	412-040-600-103	A-2493	5000	H	OH	3346.1	1653.9		33%	
651010	HANGER ASSY	412-040-600-103	A-1331	5000	H	OH	0.0	5000.0		100%	
651020	HANGER ASSY	412-040-600-103	A-3233	5000	H	OH	1654.5	3345.5		67%	
651030	T/R DRIVESHAFT COUPLING	412-040-601-101	A-1580	5000	H	OH	182.3	4817.7		96%	
651040	T/R DRIVESHAFT COUPLING	412-040-601-107	A-1383	5000	H	OH	2951.6	2048.4		41%	
652000	42° GEARBOX	412-040-006-101	A-497	5000	H	OH	575.0	4425.0		89%	
652100	90° GEARBOX	212-040-004-103	A-2608	5000	H	OH	3110.3	1889.7		38%	
670000	T/R PITCH CHANGE IDLER	209-011-711-001	BHFS001287	2500	H	OH	443.4	2056.6		82%	
670001	T/R PITCH CHANGE LEVER	209-011-712-101	BHFS006671	2500	H	OH	328.1	2171.9		87%	
670004	T/R PITCH CHANGE LINK	209-011-713-003	A-F37	2500	H	OH	1581.2	918.8		37%	
670002	T/R RETENTION NUT	212-010-706-001	DIFS264	2500	H	OH	1474.3	1025.7		41%	
670003	T/R CROSSHEAD	212-010-775-001	RDFS4242	2500	H	OH	1474.3	1025.7		41%	
670010	BOOST CYLINDER/LWR BOLT	212-001-323-001	D16519	2500	H	RL	182.3	2317.7		93%	
670011	BOOST CYLINDER/LWR BOLT	212-001-323-001	D116731	2500	H	RL	736.2	1763.8		71%	
670012	BOOST CYLINDER/LWR BOLT	212-001-323-001	D116614	2500	H	RL	736.2	1763.8		71%	
670020	M/R CONTROL SYSTEM BOLTS	As Per Table 4-1	NSN	2500	H	RL	8992.3	-6482.3		-260%	Replace all Control Bolts

A/C #1

APPENDIX A COMPONENT STATUS

Date: 25-Apr-17
AFTT: 8992.3
RIN's: 41581

2005 412EP
Tail No: TBD

ATA	DESCRIPTION	PART NO	SERIAL NO	FREQ	UNIT	CODE	CURRENT	REMAINING	PERCENT REM TO		
									RL	O/H-INS	
711000	#1 ENGINE (PT6T-3D)	3122952-01	CP-PS-TX0044	4000	H	OH	2285.5	1714.5	13%		
731000	AFCU	3244883-12	C43859	6000	H	OH	1734.4	4265.6	71%		
	6000 Hr/72 Month O/H per P&W SB 5003			72	MO	OH	Feb-19	22	30%		
731100	MFCU	3244884-4	C45206	4500	H	OH	2285.5	2214.5	49%		
731200	FUEL PUMP	3045802-02	PE-10829	4500	H	OH	2285.5	2214.5	49%		
731300	OIL TO FUEL HEATER	10544G	WA16954	4500	H	OH	2285.5	2214.5	49%		
731500	FLOW DIVIDER	3120483-02	9959526229	4500	H	OH	2285.5	2214.5	49%		
712000	#2 ENGINE (PT6T-3D)	3122952-01	CP-PS-TH1133	4000	H	OH	3214.4	785.6	26%		
732000	AFCU	3244883-12	C43601	6000	H	OH	275.0	5725.0	95%		
	6000 Hr/72 Month O/H per P&W SB 5003			72	MO	OH	Feb-21	47	65%		
732100	MFCU	3118099-03	C45633	4500	H	OH	3214.4	1285.6	29%		
732200	FUEL PUMP	3045802-01	PE11392	4500	H	OH	3214.4	1285.6	29%		
732300	OIL TO FUEL HEATER	3049386-02	WAA41232	4500	H	OH	3214.4	1285.6	29%		
732500	FLOW DIVIDER	30120483-01	9959526778	4500	H	OH	3214.4	1285.6	29%		
713000	REDUCTION GEARBOX (-3D)	3117180-01	CP-GB-TJ0222	4000	H	OH	2303.8	1696.2	42%		
713001	2500 Hour Clutch Replacement per P&W Table 601			2500	H	INS	2303.8	196.2	8%		
713100	NF GOVERNOR	3244885-5	C45718	4500	H	OH	1322.8	3177.2	71%		
713101	NF GOVERNOR	3244885-5	C45722	4500	H	OH	317.3	4182.7	93%		
713200	TORQUE CONTROL	3244881-3	C42160	4500	H	OH	1825.9	2674.1	59%		
790000	OIL COOLER BLOWER	209-062-514-101	BHLR4437	1000	H	INS	0.0	1000.0	100%		
790001	OIL COOLER BLOWER	209-062-514-101	5100-926	1000	H	INS	110.0	890.0	89%		
990205	FLOAT ASSY (Fwd L/H)	624.7802	05001	36	MO	INF	Nov-16	-5	-15%	Due 36 Month inspection	
990206	FLOAT ASSY (Fwd R/H)	624.7803	05002-RB	36	MO	INF	Nov-16	-5	-15%	Due 36 Month inspection	
990210	FLOAT ASSY (with Life Raft)	624.7904	07018	18	MO	INS	Sep-17	5	26%		
990211	3 Year Overhaul as per Dart ICA			36	MO	OH	Mar-19	23	64%		
990220	FLOAT ASSY (with Life Raft)	624.7905	06007	18	MO	INS	Sep-17	5	26%		
990221	3 Year Overhaul as per Dart ICA			36	MO	OH	Mar-19	23	64%		
990225	FLOAT ASSY (Aft L/H)	624-8002	05004	36	MO	INF	Nov-16	-5	-15%	Due 36 Month inspection	
990226	FLOAT ASSY (Aft R/H)	624-8003	06019-RB	36	MO	INF	Mar-18	11	31%		
990230	FLOAT RESERVOIR ASSY	634.5001	11001	36	MO	OH	Feb-18	10	28%		
990231	Hydrostatic Test			60	MO	INS	Apr-19	25	41%		
990232	15 Year Retirem 601.1957		4212	180	MO	RL	Jun-19	27	15%		
990240	LIFE RAFT RESERVOIR ASSY	648.7501		0	36	MO	OH	Dec-02	-132%	-3866%	Requires Life Raft Reservoir
990241	Hydrostatic Test			60	MO	INS	Dec-04	-186%	-2279%		
990240	15 Year Retirem 604.9811			0	180	MO	RL	Dec-14	-134%	-692%	
990250	PULL CABLE ASSY'S (6)	634.Various	Various	36	MO	RL	Dec-02	-139%	-3866%		

2476.REM

1857.REM

This Appendix 'A' is a true representation of the current aircraft status, warranted by the Seller!

Signature: _____ Name: _____ Date: _____

This Appendix 'A' is acknowledged and accepted by the Purchaser, or Agent thereof

(_____)

Signature: _____ Name: _____ Date: _____