

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
01	Servo Actuator (Right Cyclic)	212-076-005-101	5257C	1250:29 hrs	1249:31 hrs	
02	Servo Actuator	212-076-005-103	4931C	1250:29 hrs	1249:31 hrs	
03	Servo Actuator	212-076-004-005	1126	1697:38 hrs	O/C	
04	Hydraulic Cylinder Main Rotor Collective	212-076-005-101	5735	1250:29 hrs	1249:31 hrs	
05	Pitch Horn To Pitch Link Bolts (4)	20-057-5-25D	-	2255:38 hrs	244:22 hrs	
06	Pitch Link To Rephasing Lever (4)	20-057-6-52D	-	2255:38 hrs	244:22 hrs	
07	Rephasing Lever To Hub Bolts (4)	20-057-8-84D	-	929:37 hrs	1570:23 hrs	
08	Drive Link To Rephasing Lever Bolts (4)	20-057-6-36D	-	2255:38 hrs	244:22 hrs	
09	Swashplate Link To Rephasing Lever Bolts (3)	20-057-6-38D	-	2255:38 hrs	244:22 hrs	
10	Swashplate Link To Rotating Ring Bolts (2)	20-057-6-36D	-	2255:38 hrs	244:22 hrs	
11	Swashplate Gimbal Inner Ring Bolts (2)	204-011-463-001	-	2255:38 hrs	244:22 hrs	
12	Swashplate Inner Ring To Right Cyclic Boost Tube Bolt	20-057-5-24D	-	2255:38 hrs	244:22 hrs	
13	Swashplate Inner Ring To left Cyclic Boost Tube Bolt.	20-057-5-24D	-	2255:38 hrs	244:22 hrs	
14	Collective Lever To Collect Boost Bolts	20-057-5-24D	-	2255:38 hrs	244:22 hrs	
15	Collective Lever To Swashplate Support Bolt	20-057-8-92D	-	2255:38 hrs	244:22 hrs	
16	Boost Tube To Universal Bolts (3)	20-057-24D	-	2255:38 hrs	244:22 hrs	
17	Universal To Boost Cylinder Bolts (3)	20-057-5-24D	-	2255:38 hrs	244:22 hrs	
18	Boost Cylinder To Lower Support Bolts (3)	212-001-323-001	-	2255:38 hrs	244:22 hrs	
19	Main Driveshaft	212-040-005-103	A20-01966	292:15 hrs	2707:45 hrs	
20	Main Rotor Mast Assembly	412-040-366-105	A9-00179	292:15 hrs	4707:45 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
21	Cam To Upper Yoke Bolts (8)	MS 21250 H05006	-	hrs		
22	Clevis To Lower Cone Seat Bolts (4)	NAS 6608 D48	-	292:15 hrs	2016-07-15	
23	Fuel Shut-Off Valve	205-060-612-003	N82908	1480:53 hrs	3519:07 hrs	
24	Fuel Shut –Off Valve	205-060-612-003	J97340	1096:40 hrs	3903:20 hrs	
25	Fuel Interconnect Valve	533272	185	4537:00 hrs	462:00 hrs	
26	Fuel Interconnect Valve	533272	146	4537:00 hrs	462:00 hrs	
27	Fuel Cross-Feed Valve	233575	1114	2529:08 hrs	2470:52 hrs	
28	Fuel Boost Pump	206-062-687-101	9K72	1183:40 hrs	816:20 hrs	
29	Fuel Boost Pump	205-061-635-005	7AD1899	1061:04 hrs	938:56 hrs	
30	Main Rotor Yoke Assembly	412-010-100-141/123	A1-00333/M	2242:14 hrs	2757:46 hrs	
31	Damper and Spindle	412-010-190-105	DN 337	1331:23 hrs	3668:37 hrs	
32	Damper and Spindle	412-010-190-105	A-4076	1331:23 hrs	3668:37 hrs	
33	Damper and Spindle	412-010-190-105	DN 87	1331:23 hrs	3668:37 hrs	
34	Damper and Spindle	412-010-190-105	DN 167	1331:23 hrs	3668:37 hrs	
35	Pitch Link Tube Assembly	412-010-425-113	-	3602:30 hrs	1397:30 hrs	
36	Pitch Horn (Blue)	412-010-149-111	A432	3602:30 hrs	1397:30 hrs	
37	Pitch Horn (Red)	412-010-149-111	A563	3602:30 hrs	1397:30 hrs	
38	Pitch Horn (Green)	412-010-149-111	A429	3602:30 hrs	1397:30 hrs	
39	Pitch Horn (Orange)	412-010-149-111	A480	3602:30 hrs	1397:30 hrs	
40	Blade Bolts (Red)	412-010-124-109	EA-1320	2357:43 hrs	2642:17 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO	REMARKS
41	Blade Bolts (Orange)	412-010-124-109	EA-1221	2357:43 hrs	2642:17 hrs	
42	Blade Bolts (Green)	412-010-124-109	EA-1223	2357:43 hrs	2642:17hrs	
43	Blade Bolts (Blue)	412-010-124-109	EA-1388	2357:43 hrs	2642:17 hrs	
44	Retention Bolt (Expandable)	412-010-137-103	0488-1713	234:15 hrs	4765:45 hrs	
45	Retention Bolt (Expandable)	412-010-137-103	0681-0378	4755:16 hrs	244:44 hrs	
46	Retention Bolt (Expandable)	412-010-137-103	SL-4795	1153:29 hrs	3846:31 hrs	
47	Retention Bolt (Expandable)	412-010-137-103	061-0376	4755:16 hrs	244:44 hrs	
48	Damper Bridge Assembly Upper (Blue)	412-010-185-105	A19-01093	4290:56 hrs	5709:04 hrs	
49	Damper Bridge Assembly Upper (Green)	412-010-185-105	A19-00972	4290:56 hrs	5709:04 hrs	
50	Damper Bridge Assembly Upper (Red)	412-010-185-105	A19-00959	4290:56 hrs	5709:04 hrs	
51	Damper Bridge Assembly Upper (Orange)	412-010-185-105	A19-00956	23:12 hrs	9976:48 hrs	
52	Damper Bridge Assembly (Lower)	412-010-170-105	MD-1665	00:00 hrs	10,000 hrs/2028-12-11	
53	Damper Bridge Assembly (Lower)	412-010-170-105	MD-1717	00:00 hrs	10,000 hrs/2028-12-11	
54	Damper Bridge Assembly (Lower)	412-010-170-105	MD-1666	00:00 hrs	10,000 hrs/2028-12-11	
55	Damper Bridge Assembly (Lower)	412-010-170-105	MD-1588	00:00 hrs	10,000 hrs/2028-12-11	
56	Fitting	412-010-111-103	A1-00234	4755:16 hrs	O/C hrs	
57	Fitting	412-010-111-103	A1-00245	4755:16 hrs	O/C hrs	
58	Fitting	412-010-111-103	A1-00291	4755:16hrs	O/C	
59	Fitting	412-010-111-103	A1-00295	4755:16 hrs	O/C	
60	Simple Pendulum Absorber Brackets (Green)	412-010-215-101	A-698	3827:47 hrs	6172:13 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
61	Simple Pendulum Absorber Brackets (Red)	412-010-215-101	A-636	3827:47 hrs	6172:13 hrs	
62	Simple Pendulum Absorber Brackets (Green)	412-010-215-101	A-5660	3827:47 hrs	6172:13 hrs	
63	Simple Pendulum Absorber Brackets (Red)	412-010-215-101	A-5690	3827:47 hrs	6172:13 hrs	
64	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
65	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
66	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
67	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
68	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
69	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
70	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
71	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
72	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
73	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
74	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
75	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
76	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
77	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
78	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
79	Pendulum Absorber Bracket Bolts	EWB-0420D-7-36	-	3627:47 hrs	1372:13 hrs	
80	Arm Assembly	412-010-263-101	-	3827:47hrs	1172:13 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
81	Pendulum Absorber Bolts	NAS 6604-H34	-	3827:47hrs	1172:13 hrs	
82	Pendulum Absorber Bolts	NAS 6608 – D50	-	3827:47hrs	1172:13 hrs	
83	Pendulum Absorber Bolts	NAS 1308 – 50DH	-	3827:47hrs	1172:13 hrs	
84	Pendulum Absorber Bolts	NAS 6606 – H44	-	3827:47hrs	1172:13 hrs	
85	Pendulum Absorber Bolts	NAS 6606 – H46	-	3827:47hrs	1172:13 hrs	
86	Rod End Bearing (Upper)	412-010-182-101	NH-11301	441:36 hrs	4558:24 hrs	
87	Rod End Bearing (Upper)	412-010-182-101	NH-11307	441:36 hrs	4558:24 hrs	
88	Rod End Bearing (Upper)	412-010-182-101	NH-11378	441:36 hrs	4558:24 hrs	
89	Rod End Bearing (Upper)	412-010-182-101	NH-11384	441:36 hrs	4558:24 hrs	
90	Rod End Bearing (Lower)	412-010-310-400	NH-10945	441:36 hrs	4558:24 hrs	
91	Rod End Bearing (Lower)	412-010-310-400	NH-11038	441:36 hrs	4558:24 hrs	
92	Rod End Bearing (Lower)	412-010-310-400	NH-11053	441:36 hrs	4558:24 hrs	
93	Rod End Bearing (Lower)	412-010-310-400	NH-11149	441:36 hrs	4558:24 hrs	
94	Swashplate Link Assembly (Red)	412-010-406-115	A-3177	674:33 hrs	4325:27 hrs	
95	Swashplate Link Assemble (Blue)	412-010-406-115	A-3149	674:33 hrs	4325:27 hrs	
96	Drive Hub Assembly	412-010-445-101	A1-00058	2268:29 hrs	7731:31 hrs	
97	Rephasing Lever Assembly	412-010-403-113	A-270	3305:12 hrs	1694:48 hrs	
98	Rephasing Lever Assembly	412-010-403-113	A-733	3305:12 hrs	1694:48 hrs	
99	Rephasing Lever Assembly	412-010-403-113	A-756	3305:12 hrs	1694:48 hrs	
100	Rephasing Lever Assembly	412-010-403-113	A-761	3305:12 hrs	1694:48 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
101	Drive Link Assembly	412-010-405-111	A-3231	649:24 hrs	4350:36 hrs	
102	Drive Link Assembly	412-010-405-111	A-3233	649:24 hrs	4350:36 hrs	
103	Swashplate Outer Ring	412-010-407-105	RE-0089	2268:29 Hrs	7731:31 hrs	
104	Swashplate Support	412-010-453-105	RE-1115	23:12 hrs	4976:48 hrs	
105	Swashplate Gimbal Ring	204-010-404-1	RE-1021	2268:29 hrs	6731:31 hrs	
106	Collective Sleeve	204-011-408-105	CL-0091	2268:29 hrs	6731:31 hrs	
107	Collective Lever Assembly	412-010-408-101	A-395	1624:29 hrs	8375:31 hrs	
108	Swashplate Support To Collective lever Pivot Bolts	AN-178-22A	-	4755:16 hrs	5244:44 hrs	
109	Swashplate Support To Collective Lever Pivot Bolts	AN-178-22A	-	4755:16 hrs	5244:44 hrs	
110	Nut	412-010-162-101	A190062	4755:16 hrs	5244:44 hrs	
111	Cap	412-010-171-101	-	4755:16 hrs	5244:44 hrs	
112	Cone	412-010-177-105	A-431	1193:15 hrs	880645 hrs	
113	Drive Pin	412-010-166-101	A-2727	2953:19 hrs	7046:41 hrs	
114	Drive Pin	412-010-166-101	A-2709	2953:19 hrs	7046:41 hrs	
115	Drive Pin	412-010-166-101	A-2718	2953:19 hrs	7046:41 hrs	
116	Drive Pin	412-010-166-101	A-2716	2953:19 hrs	7046:41 hrs	
117	Drive Pin	412-010-166-101	A-2728	2953:19 hrs	7046:41 hrs	
118	Drive Pin	412-010-166-101	A-2724	2953:19 hrs	7046:41 hrs	
119	Drive Pin	412-010-166-101	A-2733	2953:19 hrs	7046:41 hrs	
120	Drive Pin	412-010-166-101	A-2710	2953:19 hrs	7046:41 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
121	Lower Cone Seat	412-018-056-103	A-00000101	4290:56 hrs	5709:04 hrs	
122	Upper Cone Seat	412-010-186-101	A19-00020	4755:16 hrs	5244:44 hrs	
123	Splined Plate Assembly	412-010-177-101	A19-00039	4755:16 hrs	5244:44 hrs	
124	Quill Assembly Tail Rotor Drive	212-040-365-025	A12-13950	4755:16 hrs	244:44 hrs	
125	42 Gear Box Assembly	212-040-003-023	AHP-12198	4755:16 hrs	244:44 hrs	
126	90 Gear Box Assembly	212-040-004-009	AHT-51478	4755:16 hrs	244:44 hrs	
127	Engine Power Section Port	PT6T-3B-35225	PS-62883	934:34 hrs	3065:26 hrs	
128	Engine Power Section Stbd	PT6T-3B-35225	PS-62286	2116:40 hrs	1883:20 hrs	
129	Combining Gear Box	3024780	CP GB-2143	2116:40 hrs	1383:20 hrs	
130	Oil To Fuel Heater	10544D	1411	934:23 hrs	3065:37 hrs	
131	Oil To Fuel Heater	10544D	968	2116:40 hrs	1883:20 hrs	
132	Manual Fuel Control Unit	3244736-8	A86993	934:23 hrs	3065:37 hrs	
133	Manual Fuel Control Unit	CPW 303803 3244736-8	A37851	2116:40 hrs	1883:20 hrs	
134	Automatic Fuel Control Unit	3244735-11	A34979	251:05 hrs	3748:55 hrs	
135	Automatic Fuel Control Unit	3244735-14-13-12	B14124	934:23 hrs	3065:37 hrs	
136	Fuel Pump Assembly	025277-300-07	PE 7916	934:23 hrs	3065:37 hrs	
137	Fuel Pump Assembly	0277-300-07	PE-6765	2116:40 hrs	1883:20 hrs	
138	Fuel Pump Filter	30233 22	-	441:36 hrs	58:24 hrs	
139	Fuel Pump Filter	30233 22	-	441:36 hrs	58:24 hrs	
140	Flow Divider	3019906	15413	934:23 hrs	3065:37 hrs	
141	Flow Divider and Dump Valve	3019906	9808	2116:40 hrs	1883:20 hrs	
142	Power Turbine Governor	252-4999-4	A42625	2116:40 hrs	1883:20 hrs	
143	Power Turbine Governor	2524999-4	A52174	2116:40 hrs	1883:20 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
144	Torque Control Unit	32-44705-05	-	2116:40 hrs	1883:20 hrs	
145	Torque Control Unit	32-44705-05	-	2116:40 hrs	1883:20 hrs	
146	P3 Air Filter Element	3108939-01	-	441:36 hrs	558:24 hrs	
147	P3 Air Filter Element	3108938-01	-	441:36 hrs	558:24 hrs	
148	Starter Generator (Port)	23046-020	Y30022	201:05 hrs	798:55 hrs	
149	Starter Generator (Stbd)	23046-020	7781	819:49 hrs	180:11 hrs	
150	Oil Filter Element	3029316	-			
151	Oil Filter Element	3029316	-			
152	Oil Filter Element	3029316	-			
153	Oil Cooler Blower	209-062-502-1-009	5100-938	929:12 hrs	70:48 hrs	
154	Oil Cooler Blower	209-062-502-009	001/91	929:12 hrs	70:48 hrs	
155	Oil Cooler Blower Bearing	47-134-2	-	723:29 hrs	276:31 hrs	
156	Oil Cooler Blower Bearing	W202PP(47-146-1)	-	723:29 hrs	276:31 hrs	
157	Oil Cooler Blower Bearing	W202PP(47-146-1)	-	723:29 hrs	276:31 hrs	
158	Oil Cooler Blower Bearing	W202PP(47-146-1)	-	723:29 hrs	276:31 hrs	
159	#1 Tachometer Indicator Gas Producer	212-075-037-113	8103140	1635:12 hrs	3364:48 hrs	
160	#2 Tachometer Indicator Gas Producer	212-075-037-101	8103142	1052:32 hrs	3947:28 hrs	
161	#1 Triple Tachometer Indicator	8DJ131LAV1	20734	715:44 hrs	2284:16 hrs	
162	#2 Triple Tachometer Indicator	8DJ131LAV1	L0734	715:44 hrs	2284:16 hrs	
163	Tarsyn	2593996-333	5022662	154:06 hrs	3845:54 hrs	

TECHNICAL RECORDS

AIRCRAFT COMPONENT HISTORY REPORT

Aircraft Model: Bell 412

Total A/F Time: 4755:16 hrs

Date: 2017-05-23

SER	COMPONENT	PART NO.	SERIAL NO.	TOTAL HRS	TIME TO O/H	REMARKS
164	Tarsyn	2593996-333	82014654	1682:18 hrs	2317:42 hrs	
165	Tail Rotor Yoke Assemble	212-011-702-1	A1-00282FM	2435:06 hrs	2564:44 hrs	
166	Pitch Link Assemble (Green)	412-010-425-101	AI-01281	4755:16 hrs	244:44 hrs	
167	Pitch Link Assemble (Blue)	412-010-425-101	AI-01102	4755:16 hrs	244:44 hrs	
168	Pitch Link Assemble (Red)	412-010-425-101	AI-01124	4755:16 hrs	244:44 hrs	
169	Pitch Link Assemble (Orange)	412-010-425-101	AI-01274	4755:16 hrs	244:44 hrs	
170	Hub and Sleeve Assemble	412-010-401-105	BH 035663	23:12 hrs	2476:48 hrs	
171	Tail Rotor Blade (Red)	212-010-750-105	A-12036	1153:29 hrs	3846:31 hrs	
172	Tail Rotor Blade (White)	212-010-750-105	A-12044	1153:29 hrs	3846:31 hrs	
173	Tail Rotor Hub Assemble	212-011-701-003	AHW-00802	1219:44hrs	1280:16 hrs	
174	Main Transmission	412-040-002-103	ANG-00137	292:15 hrs	5707:45 hrs	
175	Hangar Assemble #1	212-040-600-005	A20-12199	929:12 hrs	2070:41 hrs	
176	Hangar Assemble #2	212-040-600-005	A20-05495	929:12 hrs	2070:41 hrs	
177	Hanger Assemble #3	212-040-600-005	A20-04426	929:12 hrs	2070:41 hrs	
178	Hanger Assemble #4	212-040-600-005	A2703	132:43 hrs	2867:17 hrs	
179	Engine Fire Extinguisher	30402901	15791 B2	N/A	-	
180	Engine Fire Extinguisher	30402901	39690	N/A	-	
181	Upper Yoke to Cam(8 Bolts)	NAS 6606 H14	-	292:15 hrs	2016-07-15	
182	Clevis to Cam (4Bolts)	NAS 6607D21	-	292:15 hrs	2016-07-15	

SER	ITEM	QTY	SN	PN	MPN
01	Audio Box	2	0750518	A301-6W	
02			8106960	A301-6W	
03	VHF Control Head	2	907		G-4434A
04			36		G-4434A
05	DME Control Head	2	506		G-4518
06			749		G-4518
07	ADF Control Head	2	694		G-4433A
08			474		G-4433A
09	KDF 805 ADF Receiver	2	5127	066-1047-01	
10			415	066-1047-01	
11	HSI	2	89989	111302-5	
12			4112	111302-5	
13	ADI	2	819125	111303-4	
14			81955	111303-4	
15	RMI Converter	2	1071	071-1076-00	
16			1110	071-1076-00	
17	KNR 630 Navigation Receiver	2	7435	066-4007-00	
18			1231	066-4007-00	
19	KTR 905 VHF Transceiver	2	8840	064-1009-00	
20			8600	064-1009-00	
21	Tarsyn -333 three axis reference	2	78033332	2593996-333	
21			79073649	2593996-333	
22	Helipilot Controller	1	80070206	700299-901	
23	Radio Altimeter	1	88093611	7000839-904	
24	DME Indicator	1	4207	066-1069-01	
25	Course Selector Indicator	1	1539	520-5160-006	
26	Marker Beacon Indicator	1	4821	066301201	
27	Flight Director Computer	1	81110566	4033089-901	
28	Altitude Sensor	1	80060248	4030182-901	
29	Airspeed Sensor	1	81060402	7000300-901	
30	Dual Remote Compensator	1	81045745	2593379-001	
31	KDM 706 DME Transceiver	1	2314	066-1965-02	
32	Standby AH	1	1012	501-1297-01	
33	ITT Indicator	2	311	212-075-067-105	
34			99041064	212-075-067-109	
35	ENG oil temp/oil press Indicator	2	50M0342	209-070-262-101	
36			85100867	209-070-262-101	
37	Fuel Press Indicator	2	8140959	-	
38			8181006	-	
39	AC Volt/ Amp indicator	2	81A0291	209-070-263-3	
40			82060831	209-070-263-3	
41	Fuel Selector	1	773B		384178-103

42	Fuel Quantity Indicator	1	507A		393008-037
43	Transmission oil temp/oil Pres IND	1	78F0128	212-0710-169	
44	Gear Box oil temp/oil press IND	1	8100383	212-075-036-101	
45	Dual Torque IND	1	009		9813-25-19
46	DC Volt/Amp Meter	1	81C0231	209-070-264-3	
47	Oil temp/oil Press IND	2	81C1066	-	
48			75F9360	-	
49	Rotor % RPM Indicator	2	8107139	-	
50			L0734		ABJ131
51	Gas Prod IND	2	8103140	3571-262-5108	
52			8103142	3571-262-5108	
53	ASI	2	209588	412-075-009-105	
54			2060	412-075-009-105	
55	VSI	2	C311055	-	
56			C302650	-	
57	Altimeter	2	T0201-63	1301-1002	
58			T0201-88	1301-1002	